42" CLASS (42.0" MEASURED DIAGONALLY)	
37'' CLASS (36.6" measured diagonally)	
32'' CLASS (31.7" measured diagonally)	
26" CLASS (26.0" MEASURED DIAGONALLY)	1

42LT670H 37LT670H 32LT670H 26LT670H

LED TV

LED Commercial Widescreen Pro:Centric[™] Single Tuner[™] HDTV with Integrated Pro:Idiom[®]

HD VOD PPV ENCRYPTION Integrated Pro:Idiom

Pro:Centric SINGLE TUNER (Java/Flash)

> Unamic Power Savings Static Power Savings

ENERGY STAR 5.3

👫 CALIFORNIA ENERGY COMMISSION (CEC) COMPLIANT

RESTRICTION OF HAZARDOUS SUBSTANCES (ROHS) COMPLIANT

INTEGRATED b-LAN™

MPEG-2/MPEG-4 H.264 DECODING

COMMERCIAL MODE SET UP MENU (INSTALLER MENU)

AUTO CONFIGURATION

REMOTE MANAGEMENT OF TELEVISION SETTINGS USING Pro:Centric SERVER (PCS150R) OR FREE-TO-GUEST MANAGEMENT APPLIANCE (FMA-LG101)

TVLINK-PROTOCOL

MPITM/GAME CONTROL PORT

NATIVE DISPLAY RESOLUTION 1920 x 1080 (37"/42" class) 1366 x 768 (26"/32" class)

NEW! SLEEK CABINET DESIGN

180° ALL METAL SWIVEL COMMERCIAL GRADE DETACHABLE STAND with built-in security plate (mounting hardware parts included)

> DYNAMIC CONTRAST RATIO 1,000,000:1

> > USB CLONING

USB MEDIA HOST (MP3, JPEG, HD DIVX)

SPLASH IMAGE ON START UP

ANTI-THEFT WARNING LABEL

3 YEAR LIMITED WARRANTY (parts/labor/backlight)







The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for models 42LT670H, 37LT670H, 32LT670H, and 26LT670H are \$15, \$12, \$9 and \$8, respectively. "Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy."¹ ¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).



WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products.

The LT670H series have technologies to reduce power consumption and in return increase **cost savings** per room.

• EcoSmart

Dynamic Power Savings - Using built-in algorithms, the TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.

Static Power Savings - Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.

- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 5.3 Qualified Meets current reduction requirements of energy consumption.

APPLICATION

Pro:Centric

Interactive Guestroom Experience An industry leading Pay-Per-View (PPV) compatible television to include an embedded applications platform, LG's new LT670H series allows hoteliers to customize the in-room experience. Pro:Centric provides an easy way for the LT670H series to interface with interactive program guides, games and internet data feeds, as well as applications designed to connect guests to hotel services such as room service menus, spa services and aoff course scheduling.

Pro:Centric PLATFORM*






Electronic Program Guide

*May require optional software, hardware, third party subscription service/contract, and customization at an additional cost.

Pro:Centric SYSTEM OVERVIEW (example for illustrative purpose only)



LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

When using LG televisions in For Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

- 1. Integrated b-LAN, plus LG's Free-To-Guest Management System (FMA)
- 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

HOTEL COSTS FOR FREE-TO-GUEST CHANNEL MANAGEMENT

	Estimated Labor Costs	*MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$1,999 (FMA)	\$1,999	\$18,001
LG Pro:Idiom TV with Pro:Centric Server		\$2,500	\$2,500	\$17,500

* MAP price subject to change.

FREE-TO-GUEST REMOTE MANAGEMENT DEVICES

FMA-LG101 HEAD-END SYSTEM

Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.

PCS150R HEAD-END SYSTEM



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)

FREE-TO-GUEST INTEGRATED 6-LAN

b-LAN

FREE-TO-GUEST TECHNOLOGY

Will allow viewing of HD secured Pro:Idiom encrypted content from Pro:Idiom licensed Cable or Satellite providers. Compatible with FMA-100 and FMA-LG101 head-end systems. Pay-Per-View ready.



POWER ON SPLASH IMAGE Welcome Screen

LG's commercial in-room televisions have a Splash Image/Logo (Customized Welcome Screen) feature that allows a property to enhance their brand image. It gives the installer the ability to upload a company logo/image so that a customer can view it on screen right when they turn on the TV. The company logo is easily uploaded by using a USB memory device. The TV has simple uploading instructions using the USB download menu in the installer settings.

invisible SPEAKER

SOUND IS HEARD, NOT SEEN

Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.




USB CLONING

USB cloning will allow for easy transfer of Commercial Installer Menu Settings from the "Master TV" to an unlimited number of same type televisions.




MOUNTING HOLES ON STAND FOR ATTACHMENT TO FURNITURE





REAR JACK PANEL



SIDE JACK PANEL



42LT670H 37LT670H 32LT670H 26LT670H

LCD SPECIFICATION			
LED Backlighting	Edge lit		
Screen Size	42" class (42.0" measured diagonally) 37" class (36.6" measured diagonally) 32" class (31.7" measured diagonally) 26" class (26.0" measured diagonally)		
Native Display Resolution	1920 x 1080 (FHD) (42", 37") 1366 x 768 (HD) (32", 26")		
Viewing Angle Degree	178°/178°		
Frame Rate	60Hz		
BROADCASTING SYSTEM			
Analog	Yes (NTSC)		
Digital	Yes (ATSC / Clear QAM / Mpeg4)		
VIDEO			
XD Engine	Yes		
24p Real Cinema (24p 5:5/2:2 Pull down)	Yes		
Eye Care (Anti Dazzling)	Yes		
AUDIO			
Audio Output	10W+10W(32", 37", 42"), 5W+5W (26")		
Speaker System	1 Way 2 Speakers		
Infinite Sound	Yes		
Invisible Speaker	Yes		
Clear Voice II	Yes		
COMMERCIAL FEATURES			
Pro:Centric	Yes (1 Tuner), GEM/Flash		
Pro:Idiom	Yes		
SI Compatible (TVLink Protocol)	Yes		
b-LAN IR Out	Yes		
SIMPLINK	Yes (MPI Jack) Yes		
External Speaker Out RJP Interface	Yes (Variable, 3.5mm, Stereo, 1W with 8 Ω) Yes		
RJP Compatibility	LG, Teleadapt, Guestlink		
USB Media Host (2.0)	Yes (MP3, Jpeg, HD DivX)		
USB Cloning	Yes		
One Channel Map / Logical Channel Map	Simple Channel List		
Multi IR Code	Yes		
Welcome Screen (Splash Image)	Yes		
Auto Off/Auto Sleep	Yes		
Video Mute	Yes		
Smart Energy Saving	Yes		
Anti-theft System	Yes		
Kensington Lock	Yes		
Credenza/Security Screw Hole	Yes		
Lock Down Plate	Yes		
AUDIO/VIDEO INPUTS/OUTPUTS			
HDMI In	1 (side)		
USB Media Host (2.0)	l (side)		
RFIn	l (rear)		
AV In	1 (rear)		
Digital Audio Out	1 (Optical)		
HDMI/HDCP Input	2 (rear)		
RGB In (D-sub 15pin) - PC	1 (rear)		
PC Audio Input	1 (rear)		
RS-232C (Control / SVC only) RJP Interface	1 (rear) (SVC, Power outlet 12V) 1 (rear)		
External Speaker Out (3.5mm phone jack)	l (rear)		
MPI Jack	1 (rear)		
ITTI I JUCK			

CONVENIENCE FEATURES

CONVENIENCE FEATURES	
Language	English/Spanish/French/Korean
Commercial Function Menu	Yes
Auto Configuration	Yes
Auto Tuning/Programming	Yes
Channel Add/Delete	Yes
Auto/Manual Clock	Yes
On/Off Timer/Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is presen	t) Yes
POWER	,,
Voltage, Hz	100V - 240V, 50/60Hz
Stand-by Mode (Max)	Less than 1W
Power Consumption	Typical 75W(42"), 56W(37"), 43W(32"), 38W (26")
Dynamic/Static Power Savings	Yes
CABINET/ACCESSORIES	
Cabinet Color	Matte black with glossy black edge
Swivel Stand (degrees)	+90°/-90°
VESA® Standard Mount Compatible (WxH)	200mm x 200mm (42", 37") 200mm x 100mm (32") 100mm x 100mm (26")
Remote Control	Yes
REQUIRED LISTING (CERTIFICATION)	
Required Approvals	UL, cUL, NOM
RoHS Compliant	Yes
ENERGY STAR 5.3 Qualified	Yes
DIMENSIONS & WEIGHT	
Dimensions with stand (WxHxD)	39.1" × 26.2" × 10.7" (42") 34.2" × 23.3" × 9.1" (37") 30.2" × 21.1" × 9.1" (32") 24.6" × 17.9" × 7.6" (26")
without stand (WxHxD)	39.1" × 23.8" × 2.8" (42") 34.2" × 21.0" × 2.7" (37") 30.2" × 18.7" × 2.7" (32") 24.6" × 15.5" × 1.9" (26")
Unit Weight	with Stand without Stand 34.2 lbs (42") 29.8 lbs (42") 24.7 lbs (37") 22.0 lbs (37") 20.3 lbs (32") 17.6 lbs (32") 10.6 lbs (26") 9.0 lbs (32")
Packaging (WxHxD)	46.5" x 29.3" x 5.4" [42"] 44.1" x 26.0" x 5.5" [37"] 38.1" x 23.0" x 5.7" [32"] 27.0" x 21.0" x 4.7" [26"]
Weight with Packaging	41.7 lbs (42") 30.2 lbs (37") 26.0 lbs (37") 14.8 lbs (26")
Weight with Packaging SERVICE/LIMITED WARRANTY	41.7 lbs (42") 30.2 lbs (37") 26.0 lbs (32")
	41,7 lbs (42") 30,2 lbs (37") 26,0 lbs (32") 14,8 lbs (26")
SERVICE/LIMITED WARRANTY	41.7 lbs (42") 30.2 lbs (37") 26.0 lbs (32") 14.8 lbs (26") 3 Years (Parts/Labor/Backlight)
SERVICE/LIMITED WARRANTY UPC CODE	41,7 lbs (42") 30,2 lbs (37") 26,0 lbs (32") 14,8 lbs (26")
SERVICE/LIMITED WARRANTY UPC CODE 42LT670H	41.7 lbs (42") 30.2 lbs (37") 26.0 lbs (32") 14.8 lbs (26") 3 Years (Parts/Labor/Backlight) 7 19192 90402 6



(800) 709-873 l www.directvideotv.com sales@directvideotv.com



All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2013 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmart are trademarks of LG Corp. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency.Dolby and the doubleD symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol, TruSurround XT and WOW are trademarks or registered trademarks of registered trademarks of registered trademarks or registered trademarks of registered trademarks or registered trademarks of RS Labs, Inc. VESA is a trademark for Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.