





Smart. Compatible. Customizable.

One of the smartest and most compatible Hotel Televisions in the industry.

Pro: Centric SMART

32" class (31.7" measured diagonally)

The finest and smartest mode of control and customization for Hotel TVs, LG Pro:Centric® Smart offers all the customizable tools needed to optimize a property's TVs with IP based programs including HTML5, Java and Flash. With this expansion of control comes the ability to provide premium hotel services without the need for a set-top box. Additionally, enhanced connectivity and display sharing are available to the guests with LG Smart TV technology.



Customizable UI HTML5 | Java | Flash

Embedded Applications, enables guest to access a wider variety of content including social media applications. LT777H also includes full internet web browser for guest to access.



Enjoy and share content stored on your laptop, digital cameras, smart phones and other devices to your TV conveniently and seemlessly.

Video playback only - content on phones may be played on TV through the Smart Share app on

















Pro:Idiam

Global Leading Digital Rights Management System

Pro:Idiom unlocks access to premium content to help assure rapid and broad deployment of HDTV and other high value digital content.

Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and is thus designed to lower costs and reduce maintenance needs. This leading DRM system is embraced for its security solution, which prevents illegal copying of copyrighted content.

Reduced Total Cost of Ownership



Using LG's optional Pro:Centric server, you can remotely manage cloning and channel mapping for TVs in guest rooms without having to visit each room.



EzManager's auto configuration function makes installation quick and easy. EzManager guides the installer to set up the TV with simple steps without having to set up the menu manually, saving time and cost

Effectively Manage In-Room TVs



USB The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.

FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!

Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG)



FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epg/index.jsp

Pro:Centric Applications Platform

The LT777H is the latest in the line of Pro:Centric Televisions that provides a unique and dedicated hotel data broadcasting platform for hosting of LG's SIs System Integrators interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guest needs.

The LT777H extends the choice of applications available to hoteliers through the introduction of HTML5 support in addition to the current Adobe Flash-Lite and Java support. The LT777H is also a full IPTV platform with built-in IP video decoding supporting both IP and RF connectivity. Leveraging the Pro:Centric IPTV platform may allow system integrators their STB (Set Top Box) client software directly into the Television, eliminating the need for the additional STB hardware.

The LT777H supports embedded Wi-Fi for streaming of content to the Television or back channel communications, or can be used simply as an access point.

The LT777H platform includes support tools for the SIs to manage their systems such Simple Network Management Protocol (SNMP), to enable monitoring of the TV's on the network by the head-end or cloud based server for maintenance and admin purposes. The Wake-on-LAN features allows the TV to communicate in a background mode while the TV is powered off and without disruption to the guest, providing the ability to deliver remote software updates from the head end server

The LT777H Pro:Centric Applications Platform



Main Welcome Portal



Channel Guide Simple Channel List: Select the broadcast logo to



Learn how to use the Remote controller with easily



Language
Access the system in multiple languages for international guest service from various nations

LG's Free-To-Guest Cost Effective Solution

When using LG televisions in Free-To-Guest hotel installations there are now two options for remote management of TV settings such as virtual channel mapping, cloning of installer menu settings, and other settings:

1. Integrated b-LAN, plus LG's Free-To-Guest Management Appliance (FMA) 2. LG's Pro:Centric server (PCS150R)

Both remote management options avoid having to visit rooms to change television settings, thereby saving labor charges to carry out this work.

Hotel Costs For Free-To-Guest Channel Management

	Estimated Labor Costs	MSRP	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with b-LAN integration plus FMA		\$2,250 (FMA)	\$2,250	\$17,750
LG Pro:Idiom TV with Pro:Centric Server		\$1,750 (PCS150R)	\$1,750	\$18,250

MSRP subject to change. Installation not included.

Free-To-Guest Remote Management Devices



Remote management functions also supported via the Pro:Centric server. The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Applications features (Weather, EPG, Billboards...)



Manages channel line-up changes, channel label changes, designates a startup channel, cloning of commercial installer menu settings, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content.





LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our televisions have technologies to reduce power consumption and in return increase cost savings per room.


EcoSmart


- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.
- Energy Star 6.0 Qualified Meets current Environmental Protection Agency's television product specifications.


47LT777H/42LT777H



























REAR JACK PANEL







Anti-Theft System

The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, a Credenza and Lock Down Plate.

Kensington Lock

• LG Hotel TVs are protected by the reliable solution the Kensington Lock.



NEW! Reinforced Metal Stand

- Full metal reinforced stand and also neck to improve sturdiness,
- Provides (± 20/45/90 degrees) Swivel



Lock Down Plate with Credenza Hole

 Lock the TV firmly to the TV stand for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included)



Pro:Centric™ Dual Tuner™ Edge-lit IPTV

with Integrated Pro:ldiom® and b-LAN

▶ 47LT777H

47" class (46.9" measured diagonally)



▶ 42LT777H

42" class (42.0" measured diagonally)

▶ 37LT777H

37" class (36.6" measured diagonally)

▶ 32LT777H

32" class (3°

				32" class i		
PANEL	Model	47LT777H	42LT777H 37LT777H	32LT777H		
	Panel Technology		Edge-lit			
Panel Size Native Resolution		47" Class (46.9")	42" Class (42.0") 37" Class (36.6")	32" Class (31.7")		
		1920 x 1080 (FHD) 1366 x 768 (HD)				
Dynamic CR		1,000,000				
Viewing Angle (HxV)		178°/178°		9ms		
	Response Time		8ms 60Hz			
	Frame Rate					
BROADCASTING	Analog		Yes (NTSC)			
SYSTEM	Digital	Yes (ATSC / Clear QAM/VSB)				
VIDEO	XD Engine	Yes				
	24p Real Cinema	Yes				
	(24p 5:5/2:2 Pull down) Eye Care (Anti Dazzling)	Yes				
ALIDIO	Audio Output	10W + 10W				
AUDIO Speaker System		1 Way 2 Speakers				
	Infinite Sound	Yes				
	Clear Voice II	Yes				
Pro:Centric		Yes				
SPECIAL FEATURES	<i>b</i> lan	Yes				
	Hybrid Streaming (IP & RF) * MultiCast/HTTP	.,				
	& RF) * MultiCast/HTTP Data Carousel		Yes			
	RF(1/2Tuner)		Yes (2 Tuner)			
	Preloaded		100 (2 101101)			
	Applications	Yes (Facebook, Twitter, Google Maps, Accuweather, Internet Browser)				
	(Pro:Centric Smart)	V				
	Web Browser HCAP (GEM/FLASH/HTML)	Yes Yes				
	Instant on/Warm					
	Mode	Yes				
	EzManager	Yes				
	Remote Diagnostics	Yes (USB and remote)				
Smart Share		Yes (Smart Share)				
	DLNA(Movie/Photo/Music)		Yes (W/O DMR)			
	WiDi/WiFi Direct		Yes			
Simplink (HDMI-CEC)						
HTNG-CEC 1.3		Yes				
Pro:Idiom		Yes				
SI Compatible (TVLink Protocol) Hotel Mode/ PDM /Installer Menu IR Out (TV Link Tuner) External Speaker Out RJP Interface RJP Compatibility PIP		Yes (MPI protocol)				
		Yes				
			Yes (MPI Jack)			
		Yes (Variable, 3.5mm, Stereo, 1W with 8Ω, BTL, 4 pin)				
		Yes (RJ45, HDMI)				
		LG,Teleadapt (R)45, HDMI CEC), G-Link (HDMI-CEC) Yes (except HDMI-HDMI, AV-AV)				
	External Power		Yes (RS-232C, 12V/1.0A)			
USB		USB2.0 (Media Host)				
	Moving Picture Playback (SD/HD/Plus HD)		Divx HD			
	Picture		JPEG			
	Audio Codec AC3(Dolby Digital), EAC3, AAC, Mpeg, MP3, F		P3 PCM			
	USB Cloning	, (00)	Yes	-,,		
	One Channel Map/					
	Logical Channel Map	Yes (LCM)				
	Multi IR Code Welcome Screen		Yes			
	(Splash Image)	Yes				
	Auto Off / Auto Sleep					
	Video Mute	Yes				
	Smart Energy Saving	Yes				
	Optional Magic Remote Control	Yes (Sold Separately, part# AN-MR300)				

|--|

The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 47LT777H, 42LT777H, 37LT777H, 32LT777H are \$16, \$13, \$12 and \$9.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." 1

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).



(800) 709-8731 www.directvideotv.com sales@directvideotv.com

(Conf.) Crec Scre Lock Corr Stan INTERFACE (Side) INTERFACE (Rear) INTERFACE (Rear) AV I Digitic (Coo HDN) RGB 15pi PC A RS-22 9pin) LAN RJ45 Exter Out TV lir (pho	sington Lock denza/Security w Hole t Down Plate nmercial Grade d VI In 5 (2.0)	47LT777H	1 2		32LT777H				
Cont.) Crec Scre Lock Corr Stan INTERFACE (Side) USB INTERFACE (Rear) INTERFACE (Rear) AV I Digitic (Coo HDN) RGB 15pin PC A RS-22 9pin) LAN RJ45 Extet Out I TV lir (pho MPI CABINET Beze Beze With Weie With Weie Swiv Colc VESS Mou	denza/Security w Hole to Down Plate nmercial Grade d MI In to (2.0) n n al Audio Out exial / Optical) MI/HDCP Input		1 2	Yes Yes Yes					
INTERFACE (Side) INTERFACE (Side) INTERFACE (Rear) INTERFACE (Rear) INTERFACE (Rear) AV I Digitic (Coo HDM RGB 15pip 1	E Down Plate Innercial Grade Id		1 2	Yes Yes					
INTERFACE (Side) INTERFACE (Side) INTERFACE (Rear) INTERFACE (Rear) AV I Digite (Coo HDM RGB 15pi PC A RS-2 Sypin LAN RJ45 Exter Out TV lir (pho Wei With Wei With Wei Swiv Colc VESS Mod	nmercial Grade id MI In 5 (2.0) n n al Audio Out uxial / Optical) MI/HDCP Input		1 2	Yes					
INTERFACE (Side) USB INTERFACE (Rear) INTERFACE (Rear) AV I Digital (Coo HDM RGE 15pin PC A RS-22 9pin LAN RJ45 Exter Out TV lir (pho MPI CABINET Beze Beze With Weie With Weie Swiv Colc VES Mou	MI In 5 (2.0) n n al Audio Out axial / Optical) MI/HDCP Input		1 2						
INTERFACE (Side) USB INTERFACE (Rear) RF Ir Digition (Cod HDM RGB 15pi 15pi 15pi 15pi 15pi 15pi 15pi 15pi	MI In 5 (2.0) n n al Audio Out existed / Optical) MI/HDCP Input		2	0.1	Yes				
(Side) USB INTERFACE (Rear) AV I Digite (Coo HDM RGB 15pi PC A RS-2 9pin) LAN R145 Exter Out TV lir (pho MP) CABINET Bezze With Wei With Wei Swiv Colc VES Mo	s (2.0) n n al Audio Out uxial / Optical) NI/HDCP Input		2	1 Side					
INTERFACE (Rear) AV I Digite (Coo HDM RGB 15pi PC A RS-2 9pin) LAN R145 Exter Out TV lir (pho pho pho weit Weit Weit Swiv Colc VeSa Mou	n al Audio Out uxial / Optical) Al/HDCP Input			2 Side					
(Rear) AV I Digite (Coo HDN) RGB ISpin PC A RS-2 9pin LAN RJ45 Exter Out TV lir (pho AV I Wei With Wei Swiv Colc VES Mou	n al Audio Out uxial / Optical) Al/HDCP Input			1 Rear					
Digite (Coo HDM) RGBe 15pin PC A RS-22 Spin) LAN RJ45 Exter Out TV lift (phon MPI CABINET Beze Bezel With Weie With Weie Swiv Colc VES Mou	al Audio Out uxial / Optical) MI/HDCP Input		1 Rear						
(Coo HDM RGE 15pin PC A RS-2 9pin) LAN RJ45 Exter Out TV liir (pho MP) CABINET Bezel With Weir With Weir Cort Swiv Cold	uxial / Optical) MI/HDCP Input								
RGB 15pi PCA RS-2 9pin) LAN RJ45 Exter Out TV lir (pho MPI CABINET Bezz Bezzel With Wei With Wei Swiv Colc VES Mou		1 (Optical)							
PC A RS-2 9pin) LAN RJ45 Exter Out TV lir (pho MP) CABINET Bezzel With Weis With Weis Swiv Colc VES Mou	B In (D-sub	2 Rear							
PC A RS-2 9pin) LAN RJ45 Exter Out TV lir (pho MP) CABINET Bezzel With Weis With Weis Swiv Colc VES Mou			1	Rear					
RS-2 Spin LAN RJ45 Exter Out TV lir (pho MPI CABINET Bezze With Weig With Weig Cart Wei Swiv Colc VESS Mou	PC Audio Input		1 Rear						
9pin) LAN R145 Exter Out TV lir (phor MP) CABINET Bezze With Wei With Wei Swiv Colc VES, Mou	232C (D-Sub								
RJ45 Exter Out TV liir (pho) MPI CABINET Bezze With Weig With Weig Cart Wei Swiv Colc VES Mou		Yes (SVC, Power outlet 12V)							
Exter Out TV liir (pho) MPI CABINET Beze Beze Beze Cart Wei Swiv Colc VES Moo	l Port	2 Rear							
Out TV lir (photo MPI CABINET Beze Bezel With Weig With Weig Cart Wei Swiv Colc VESS, Mot	(RJP interface)	1 Rear							
TV lir (photophotophotophotophotophotophotophot	rnal Speaker		1 Rear (3.5r	nm phone iack)					
(phoi MPI CABINET Beze Bezel With Weig With Weig Swive Cold VESS, Mod.)	ok Configuration	1 Rear (3.5mm phone jack)							
CABINET Beze Sezel With Weig Cart Wei Swiv Colc VES, Mot	TV link Configuration (phone jack type)		1	Rear					
Bezel With Wei With Wei Cart Wei Swiv Colc		1 Rear							
Bezel With Weig With Weig Cart Wei Swiv Colc	el Width (off	18.7mm/23.3mm	17.3mm/21.9mm	18.9mm/23.5mm	18.7mm/23.3mm				
Weig With Weig Cart Wei Swiv Colc VES, MoL	l) (mm)	,							
With Weig Cart Wei Swiv Colc VES, MoL		43.3"×28.6"×11.1" 41.2 lbs	39.1"×26.1"×11.1" 37.3 lbs.	34.2"×23.4"×8.9" 26.9 lbs.	30.2"×21.1"×8.9" 22.5 lbs.				
Weig Cart Wei Swiv Colo VES, Mou	gnr nout Stand	41.2 IDS 43.3" x 26.2" x 2.2"	37.3 lbs. 39.1" x 23.8" x 2.2"	20.9 lbs. 34.2" x 21.0" x 2.2"	22.3 lbs. 30.2" x 18.7" x 2.2"				
Cart Wei Swiv Cold VES/ Mou		33.7 lbs	29.8 lbs	22.0 lbs	17.6 lbs				
Wei Swiv Cold VES/ Mou		52.4"×29.8"×6.3"	46.5" × 29.3" × 5.4"	42.2"×23.6"×4.9"	38.1″×21.5″×5.7″				
Swiv Colc VES/ Mou		51.4 lbs.	42.5 lbs.	32.4 lbs.	27.3 lbs.				
VES/ Mou	•	Yes (± 20/45/90 degrees)							
Моц	or	Black with Hairline finish							
	A™ Standard	400mm x 400mm	200mm	x 200mm	200mm x 100mm				
	unt Interface								
	ne Retardant	Yes (Back Cover only) cUL, UL, FCC, NOM							
LISTINGS									
	RoHS Energy Star 6.0		Yes Yes						
UPC	gy oldi o.o	7 19192 91569 5	7 19192 91568 8		7 19192 91566 4				
	er Source	, 17172 713073		OV, 50/60Hz	7 17172 71300 4				
TOWER	ts (Typical)	72.7W	57.9W	52.5W	39.1W				
	id-by	, , , ,		5W↓	07.111				
	Warm Mode 19.9W								
WARRANTY 2-Ye	ar Limited War	ranty (Parts/Labor)							
REMOTE JACK PANEL COMPATIBILITY (RJP)	G-LINK C	teleadapt **Teleadapt **Pring Your World Connected™	U LG						
(SEPARATE	LodgeNe	at we do	seo° swisscom						
REQUIRED)			IConnect	TV Quadrig	la.				
	acentic ROOMLINX: \$15786905								
	FULLHÖ Pro:Gentric.								
	Remote Jack Pa	IR OUT	come Screen Channel Channel Channel Map Machinel Machinel Map Machinel	HOTEL MODE Reside Dispuses					

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

© Copyright 2013 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine, Pro.Centric and EcoSmard are registered trademarks or trademarks of LG Electronics, Inc. Pro.Coldiom and MPI are trademarks of Zenith Electronics Corp.

VESA is a trademark of Video Electronics Standards Association, HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. Dolby, and the double-D symbol are registered trademarks of Dolby Laboratories. Java is a trademark foracle, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe so the Tlash are either registered trademarks or trademarks of Adobe with Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. b-LAN is a trademark of LodgeNet Interactive Corporation. All other product and brand names are trademarks or registered trademarks of their respective componies.

